

特點

- 1. 每秒25.4公分列印速度
- 2. 支援繁體中文LCD顯示幕
- 3. 碳帶自動偵測功能
- 4. 16MB DRAM / 8MB Flash (up to 64MB 出廠選購)
- E3印字頭恆溫控制,強化印字頭使用 壽命
- 6. 網絡強大功能,提供Ethernet / Wireless選配
- 7. USB Interface
- 8. 600dpi選購(ZM400only)
- 9. RFID昇級選購

ZM400/600

高效能工業級條碼列印機

高速列印、網絡管理、RFID昇級。 Zebra新一代的工業型機種ZM系列 提供更強大的功能來滿足高度用量 使用者。

■ 產品簡介

ZM400 & ZM600以原有Z系列為基礎,強化了通訊網絡介面讓整合工作變得更容易;加大的LCD顯示更多的列印資訊,提高工作生產力;昇級並擴充記憶體,提供更快的工作處理速度。此外,ZM全系列除了增加XML格式輸入外,在ZM400系列的解析度選擇上也多了600dpi選項,讓工業級的客戶有更多的選擇。

除了提昇產品品質及功能外,Zebra ZM系列在維修上更能符合終端使用者的習性,零配件更換容易,讓工作流程落實不斷線的目標。

RFID時代的來臨, Zebra為配合趨勢, 在ZM系列提供 RFID昇級服務的選項, 在使用條碼的同時也能與RFID接軌 , 不落後於高科技。

■ 適合應用

- 1. 製造業
- 2. 物流業
- 3. 零售業





云擎條碼



ZM400/600





列印模式 熱轉式 or 熱感式

解析度 ZM400:203dpi / 300dpi / 600dpi

ZM600:203dpi / 300dpi

記憶體 16 MB DRAM / 8 MB Flash

(可擴充至64MB,需訂購時確認)

列印速度 每秒 10"(254mm) ~ 4"(102mm)

列印寬度 ZM400:4.09" (104mm)

ZM600: 6.60" (168mm) 157"(3988mm)~39"(991mm)

碳帶長度 450m

列印長度

紙張寬度 ZM400:4.5" (114mm)

ZM600: 7.0" (178mm)

紙張厚度 0.058mm ~ 0.25mm

紙張外徑 8"(203mm)OD

紙張感應器 穿透式(可調整) & 反射式

傳輸介面 Centronics Parallel, RS232, USB, ZebraNet Wireless,

ZebraNet print server

字型 7 bitmapped , 1 smooth scalable

Native open type font support, Unicode, UFST

User defined font and graphics including custom logos

ZPL II drawing commands - for boxes and lines

條碼種類 1D Barcode:

Code 11 , Code 16k , Cdoe 39 , Code 93 , Code 128 A/B/C and UCC

Case C codes , UPC-A , UPC-E , EAN-8 , EAN-13 , UPC and EAN 2 or 5

digit extensions, Plessey, Postnet, 2 of 5, Industrial 2 of 5, Interleaved 2 of 5, Logmars, MSI, Codabar, Planet Code

2D Barcode:

Codablock, PDF417, Code 49, Data Matrix, Maxicode, QR code,

MicroPDF417 TLC 39, GS1 DataBar (RSS), Aztec

印表機語言 ZPL, EPL, APL-I, APL-D, X-Mode (XML)

電源規格 90~265 VAC; 48~62 Hz

機器尺寸 W 278 mm x H 338 mm x D 475 mm

機器重量 15 Kgs 操作溫度 5°C ~ 40°C 操作溼度 20% ~ 85%

安全認證 IEC60950-1, EN55024, EN61000-3-2, EN64000-3-3, EN55022 Class B

cTUVus, CE, FCC-B, ICES-003, VCCI, C-Tick, NOM, CCC, GOST-R,

BSMI, S-Mart(Arg), SABS, MIC, ZIK

選購配件 裁刀,撥紙器,回捲器,ZebraNet printer server,ZebraNet wireless

內捲碳帶更換配件(ZM400 only)

云擎科技有限公司

聯絡電話: 05-374-0545 傳真電話: 05-374-8701

聯絡地址:616 嘉義縣新港鄉登雲路47巷11-2號



Contact us for details